EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	102	(("ic" or smart) adj card) with ((updat\$3 or upgrad\$3) near3 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 07:33
L2	0	I1 same (secur\$3 near5 (load\$3 or delet\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 07:34
L3	17	l1 and (secur\$3 near5 (load\$3 or delet\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 07:52
L4	0	I1 same (encrypt\$3 with (personsal\$7 or "PB"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 07:53
L5	0	I1 and (encrypt\$3 with (personsal\$7 or "PB"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 08:26
L6	405	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 08:26
L7	699	713/156.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 08:26
L8	338	713/166.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 08:27
L9	267	713/187.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 08:27

EAST Search History

L10 5 (l6 or l7 or l8 or l9) and l1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 08:27
-------------------------------------	---	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6488211".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 08:34
L2	0	"David Barrington Everett".inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 08:34
L3	321439	everett.inv. or miller.inv. or peacham. inv. or simmons.inv. or richards.inv. or viner.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 08:36
L4	45	l3 and ((load\$3 near3 application) with card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 08:37

7/31/06 8:45:04 AM
C:\Documents and Settings\MSmithers\My Documents\EAST\Workspaces\temp.wsp



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

+securely +loading +applications, +smart +card, +personalize

Handely

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used

securely loading applications smart card personalization

Found 13 of 182,223

Sort results by

relevance

Save results to a Binder ? Search Tips

Try an Advanced Search Try this search in The ACM Guide

Display results

expanded form

Open results in a new window

Results 1 - 13 of 13

Relevance scale

1 Web technologies and applications (WTA): Cookies on-the-move: managing cookies



on a smart card Alvin T. S. Chan

March 2004 Proceedings of the 2004 ACM symposium on Applied computing

Publisher: ACM Press

Full text available: pdf(335.19 KB) Additional Information: full citation, abstract, references

Despite the widespread use and adoption of cookies as the basis for web applications to keep state information, cookies present some design issues that are yet to be fully addressed. The fact that cookies are stored on client-side's memory means that they are tightly coupled to the machine that is interacting with the web server. Yet often, these cookies are initiated by web applications to identify user's preferences and identifications. As the user moves across different machines to access the ...

Keywords: Web, cookies, mobile, smart card

2 Mobility and sociability: Smart card product development in an internet-based CRM environment



Pat O'Brien, Laith Murad, Simon Gibbs, Richter Rafey

November 2005 Proceedings of the 2005 conference on Designing for User experience **DUX '05**

Publisher: AIGA: American Institute of Graphic Arts

Full text available: pdf(773.44 KB) Additional Information: full citation, abstract, references

Smart cards have been successfully deployed in Europe and Asia. The European Community considers them imperative and is funding 65 card development projects. In the US, however, the cards hold less interest and have been less successful. Technology diffusion research indicates social learning is critical to adoption. A small cadre of early adopters, through visible daily use of new products, creates a perception among other consumers that new products are beneficial and desirable. This study devel ...

Keywords: CRM, FeliCa, concept design, handheld devices and mobile computing, marketing / market research, product management, prototyping, smart card, ubiquitous computing / smart environments, user research, user studies

3 Smart card evolution

Katherine M. Shelfer, J. Drew Procaccino

July 2002 Communications of the ACM, Volume 45 Issue 7

Publisher: ACM Press

7/31/06

(31.22 KB) html

Full text available: ndf(110.58 KB) Additional Information: full citation, abstract, references, citings, index terms

Smart cards and their related technologies are an emerging component of electronic commerce worldwide. In some countries, they are revolutionizing aspects of commerce, healthcare, and recreation.

On-line e-wallet system with decentralized credential keepers Stig Frode Mjølsnes, Chunming Rong

February 2003 Mobile Networks and Applications, Volume 8 Issue 1

Publisher: Kluwer Academic Publishers

Full text available: pdf(240.23 KB) Additional Information: full citation, abstract, references, index terms

We propose a generalization of the architecture of an electronic wallet, as first developed in the seminal European research project CAFE. With this model you can leave most of the content of your electronic wallet at the security of your residential electronic keeper, while roaming with your favorite mobile terminals. Emerging mobile handsets with both short range Bluetooth and cellular GPRS communications provide a sufficient communication platform for this electronic wallet architecture. Howe ...

Keywords: digital credentials, e-wallet architecture, mobile commerce, payment protocols, privacy

5 Personalizing shared ubiquitous devices

David M. Hilbert, Jonathan Trevor

May 2004 interactions, Volume 11 Issue 3

Publisher: ACM Press

Full text available: pdf(4.04 MB) Additional Information: full citation, references, index terms html(48.57 KB)

P6: Document-based inter-organizational information exchange

Reinhard Riedl

October 2001 Proceedings of the 19th annual international conference on Computer documentation

Publisher: ACM Press

Full text available: pdf(217.62 KB) Additional Information: full citation, abstract, references, index terms

In this paper, we present tour research work on document services for interstate egovernment carried out in the FASME project. First, we depict the background for our research and we describe its basic challenges. Then we discuss the required services out of the perspective of inter-organizational document services and documentation issues. From the evaluations of our prototypical implementation with user groups, we may conclude that interstate e-government services are feasible and that life w ...

Keywords: e-government, inter-organizational work-flows

HyperNews: a MEDIA application for the commercialization of an electronic

newspaper

Jean-Henry Morin, Dimitri Konstantas

February 1998 Proceedings of the 1998 ACM symposium on Applied Computing

Publisher: ACM Press

Full text available: pdf(2.74 MB) Additional Information: full citation, references, index terms

Keywords: agents, copyright protection, electronic publishing

8 Session summaries from the 17th symposium on operating systems principle



Jay Lepreau, Eric Eide

April 2000 ACM SIGOPS Operating Systems Review, Volume 34 Issue 2

Publisher: ACM Press

Full text available: pdf(3.15 MB) Additional Information: full citation, index terms

9 Applications on the go: MediaAlert: a broadcast video monitoring and alerting system



for mobile users

Bin Wei, Bernard Renger, Yih-Farn Chen, Rittwik Jana, Huale Huang, Lee Begeja, David Gibbon, Zhu Liu, Behzad Shahraray

June 2005 Proceedings of the 3rd international conference on Mobile systems, applications, and services MobiSys '05

Publisher: ACM Press

Full text available: pdf(593.10 KB) Additional Information: full citation, abstract, references

We present a system for automatic monitoring and timely dissemination of multimedia information to a range or mobile information appliances based on each user's interest profile. Multimedia processing algorithms detect and isolate relevant video segments from over twenty television broadcast programs based on a collection or words and phrases specified by the user. Content repurposing techniques are then used to convert the information into a form that is suitable for delivery to the user's mobi ...

Keywords: alerting, automatic speech recognition (ASR), content adaptation, content repurposing, mobile devices, multimedia messaging, multimedia processing, news monitoring, notification, service platform

A secure infrastructure for service discovery and access in pervasive computing Jeffrey Undercoffer, Filip Perich, Andrej Cedilnik, Lalana Kagal, Anupam Joshi April 2003 Mobile Networks and Applications, Volume 8 Issue 2



Full text available: pdf(308.34 KB)

Additional Information: full citation, abstract, references, citings, index terms

Security is paramount to the success of pervasive computing environments. The system presented in this paper provides a communications and security infrastructure that goes far in advancing the goal of anywhere-anytime computing. Our work securely enables clients to access and utilize services in heterogeneous networks. We provide a service registration and discovery mechanism implemented through a hierarchy of service management. The system is built upon a simplified Public Key Infrastructure t ...

Keywords: distributed services, extensible markup language, pervasive computing, security, smartcards

11 Oracle's technology for bioinformatics and future directions

Bruce Blackwell, Siva Ravada

January 2003 Proceedings of the First Asia-Pacific bioinformatics conference on Bioinformatics 2003 - Volume 19 APBC '03

Publisher: Australian Computer Society, Inc.

Full text available: pdf(74.48 KB) Additional Information: full citation, abstract, references, index terms

The Oracle relational database management system, with object-oriented extensions and numerous application-driven enhancements, plays a critical role worldwide in managing the exploding volumes of bioinformatics data. There are many features of the Oracle product which support the bioinformatics community directly already and there are

several features that could be exploited more thoroughly by users, service vendors, and Oracle itself to extend that level of support. This paper will present an ...

Keywords: bioinformatics, database, extensibility, oracle

12 Risk transparency: Protecting domestic power-line communications

Richard Newman, Sherman Gavette, Larry Yonge, Ross Anderson

July 2006 Proceedings of the second symposium on Usable privacy and security

Publisher: ACM Press

SOUPS '06

Full text available: pdf(135.71 KB) Additional Information: full citation, abstract, references, index terms

In this paper we describe the protection goals and mechanisms in HomePlug AV, a next-generation power-line communications standard. This is a fascinating case-history in security usability. There are also novel protocol issues; interactions with mechanisms at other layers; and opportunities for both researchers and third-party vendors to build on the mechanisms provided. The central problem -- being sure whether a device being enrolled in the network is the device you think, not a similar one ne ...

Keywords: authentication, power-line communication, security

13 Battery-powered distributed systems (extended abstract)

Paul J. M. Havinga, Arne Helme, Sape J. Mullender, Gerard J. M. Smit, Jaap Smit September 1998 Proceedings of the 8th ACM SIGOPS European workshop on Support for composing distributed applications

Publisher: ACM Press

Full text available: pdf(517.34 KB) Additional Information: full citation, index terms


Results 1 - 13 of 13

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player

Sign in



Web

Results 1 - 3 of 3 for smartcard "securely loading applications". (0.48 seconds)

Did you mean: **smart card** "securely loading applications"

Sponsored Links

Smart Cards

Contact Cards require insertion into a **smart card** reader with a direct connection ... (STK) - an important API for **securely loading applications** to the SIM. ...

www.mobilein.com/smart cards.htm - 31k - Cached - Similar pages

Smart Card Applications
Worldwide Leader In Access Security
Solutions. Learn More About Us Here
www.HIDCorp.com/

[PDF] Smart-Phone Attacks and Defenses

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> embedded **smart-card**, the SIM card. The SIM ca

embedded **smart-card**, the SIM card. The SIM card. has evolved to incorporate the use of the SIM Toolkit. (STK) — an API for **securely loading applications** to ... research.microsoft.com/~helenw/papers/smartphone.pdf - <u>Similar pages</u>


[PS] Smart-Phone Attacks and Defenses

File Format: Adobe PostScript - <u>View as Text</u> embedded **smart-card**, the SIM card. The SIM card. has evolved to incorporate the use of the SIM Toolkit. (STK) — an API for **securely loading applications** to ... research.microsoft.com/~helenw/papers/smartphone.ps - <u>Similar pages</u>

Did you mean to search for: **smart card** "securely loading applications"

Try your search again on Google Book Search

Free! Get the Google Toolbar. Download Now - About Toolbar



smartcard "securely loading applicat Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Sign in



 Web
 Images
 Groups
 News
 Froogle
 Maps
 more
 »

 "loading applications" ic card personalization
 Search
 Advanced Search Preferences

Web

Results 1 - 10 of about 29 for "loading applications" ic card personalization. (0.36 seconds)

Smart Cards

IC Memory Cards: Can store data, but do not have a processor on the card. ... One convenient way for loading applications to the SIM is over-the-air via ... www.mobilein.com/smart cards.htm - 31k - Cached - Similar pages

EP963580 Mondex european software patent - Multi-application ic ... [0083] For example, it will be appreciated that the MSM personalization and permissions data may not only be used for loading applications onto IC cards but ... gauss.ffii.org/PatentView/EP963580 - 72k - Cached - Similar pages

EP976114 Mondex european software patent - Secure multiple ...
For example, it will be appreciated that the MSM personalization and permissions data may not only be used for loading applications onto IC cards but also ... gauss.ffii.org/PatentView/EP976114 - 76k - Cached - Similar pages

EP1053536 Mondex european software patent - System and method for ... For example, it will be appreciated that the MSM personalization and permissions data may not only be used for loading applications onto IC cards but also ... gauss.ffii.org/PatentView/EP1053536 - 104k - Cached - Similar pages

Mobile-Mind technology

EN 726 Terminal Equipment (TE); Requirements for IC cards and terminals for ... for doing post-personalization content management (loading applications, ... www.mobile-mind.com/htm/scstd.htm - 90k - Cached - Similar pages

[PDF] ERTIFICATION EPORT

File Format: PDF/Adobe Acrobat

Authentication mechanism for **loading applications**. • Lifecycle management ... **IC** packaging. **Card** initialization. AP loading. **Card**/AP **personalization** ... https://www.trusted-site.de/certuvit/pdf/9215BE.pdf - Similar pages

[PDF] Zertifizierungsbericht DSZ

File Format: PDF/Adobe Acrobat

The application loader is responsible for **loading applications** on to the **card** and/or. **personalization** data according to the instructions of the application ... https://www.trusted-site.de/certuvit/pdf/9145BE.pdf - <u>Similar pages</u>

[PDF] Certification Report DSZ

File Format: PDF/Adobe Acrobat

The application loader is responsible for **loading applications** on to the **card** and/or. **personalization** data according to the instructions of the application ... https://www.trusted-site.de/certuvit/pdf/9136BE.pdf - Similar pages

esp@cenet description view

[0083] For example, it will be appreciated that the MSM personalization and permissions data may not only be used for loading applications onto IC cards ... v3.espacenet.com/textdes?DB=EPODOC&IDX=EP0963580&QPN=EP0963580 - 74k - Supplemental Result - Cached - Similar pages

Path: senator-bedfellow.mit.edu!bloom-beacon.mit.edu!newsfeed ...

It also prescribe the physical location of a **IC card's** magnetic stripe and ... Patent 6005942) for **loading applications** on and deleting applications from ... mirror.sq.depaul.edu/pub/usenet/alt.technology.smartcards/alt.technology.smartcards FAQ

http://www.google.com/search?q=+%22loading+applications%22+ic+card+personalization&... 7/31/06

- 99k - Cached - Similar pages

Try your search again on Google Book Search

Google >
Result Page: 1 2 3 Next

Free! Speed up the web. Download the Google Web Accelerator.

"loading applications" ic card persor

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Google-

Web Images Groups News Froogle Maps more »

"loading applications" ic card personalization

Search Advanced Search Preferences

Web

Results 11 - 20 of about 29 for "loading applications" ic card personalization. (0.16 seconds)

[PDF] Zertifizierungsbericht DSZ

File Format: PDF/Adobe Acrobat

The application loader is responsible for loading applications on to the card and/or.

personalization data according to the instructions of the application ... https://www.trusted-site.de/certuvit/pdf/9144BE.pdf - Similar pages

Path: spln!lex!extra.newsguy.com!lotsanews.com!border1.nntp.sjc ...

It also prescribe the physical location of a IC card's magnetic stripe and ... Patent 6005942)

for loading applications on and deleting applications from ...

www.jammed.com/usenet/faq/technology/smartcards/faq - 121k - Cached - Similar pages

[PDF] Untitled

File Format: PDF/Adobe Acrobat - View as HTML

on a single IC chip that can communicate between the chip and chip card reader.

Sometimes ... Personalization – Electrical personalization is the process of ...

www.electran.org/docs/whitepapers/11-01_SmartCards.pdf - Similar pages

Usenet replayer's FAQ collection: alt.technology.smartcards

also prescribe the physical location of a IC card's magnetic stripe and ... post-

personalization content management (**loading applications**, keys, ... www.usenet-replayer.com/fag/alt.technology.smartcards.html - 204k -

Cached - Similar pages

System and method for global internet digital identification ...

1) to use its chip card (virtual or physical) to initiate a digital ID verification ...

Personalization Data Specifications for Debit and Credit on Chip, ...

www.freepatentsonline.com/6681328.html - 46k - Cached - Similar pages

System and method for a multi-application smart card which can ...

The **card personalization** agent receives the keys and loads security domain keys associated ... Chaum et al., "SmartCard 2000: The Future of **IC Cards**", Oct. ... www.patentstorm.us/patents/6233683.html - 70k - Supplemental Result -

Cached - Similar pages

Services and accounts: Personal Commercial Service Providers ...

also prescribe the physical location of a **IC card's** magnetic stripe and ... 6005942) for **loading applications** on and deleting applications from ...

www.newsville.com/cgi-bin/getfaq?file=alt.

technology.smartcards/alt.technology.smartcards FAQ - 148k - Cached - Similar pages

EP1218861 Mastercard european software patent - System and method ...

compliant chip card may be used with this embodiment, but (as already ... Personalization

DataSpecifications for Debit and Credit on Chip, Version 1.0, ...

gauss.ffii.org/PatentView/EP1218861 - 64k - Cached - Similar pages

Front Page Images Description Claims SYSTEM AND METHOD FOR ...

Figure 5 shows the steps of generating and loading the four elements of the card

personalization data into the memory of the IC cards, and Fig. ...

www.wipo.org/cgi-pct/guest/getbykey5?KEY=99/40549.990812&ELEMENT_SET=DECL -

139k - Supplemental Result - Cached - Similar pages

esp@cenet description view

For example, it will be appreciated that the MSM personalization and permissions data

http://www.google.com/search?q=+%22loading+applications%22+ic+card+personalization&... 7/31/06

may not only be used for ${\bf loading\ applications}$ onto ${\bf lC\ cards}$ but also ... v3.espacenet.com/textdes?IDX=EP976114&QPN=EP0976114 - 134k - Supplemental Result - Cached - Similar pages

> ■ Gooogle ▶ Result Page: Previous 1 2 3 **Next**

"loading applications" ic card persor Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google ©2006 Google

Google*

Web Images Groups News Froogle Maps more »

"loading applications" ic card personalization | Search | Advanced Search | Preferences

Web

Results 21 - 26 of about 29 for "loading applications" ic card personalization. (0.15 seconds)

[PDF] GP Security Target draft

File Format: PDF/Adobe Acrobat

The Application Loader is responsible for loading applications on to the card and/or.

personalization data according to the instructions of the Application ...

www.globalplatform.org/member/documents/

GP_ST_Guidelines_draft_v.99c_public review.pdf - Similar pages

alt.technology.smartcards FAQ

EN 726 Terminal Equipment (TE); Requirements for IC cards and terminals for ... Patent 6005942) for loading applications on and deleting applications from ... www.scdk.com/atsfaq.htm - 132k - Cached - Similar pages

[PDF] Protection Profile Smart Card IC with Multi-Application Secure ...

File Format: PDF/Adobe Acrobat - View as HTML

in the **IC** and the test operations. • **Personalization** environment corresponding to **personalization** and testing of the Smart. **Card** with the user data (phase 6 ... www.it.iitb.ac.in/~satish/phd/smart**card**/Common%20Criteria/PP0001.PDF - Supplemental Result - Similar pages

[PDF] DoD PKI and KMI Token Protection Profile (Medium Robustmess ...

File Format: PDF/Adobe Acrobat - View as HTML

card, the IC is encapsulated in a protective material (usually some type of epoxy), and this ... cryptographic and DoD data exchange, loading applications, ... www.commoncriteriaportal.org/public/files/ppfiles/PP_VID2009-PP.pdf - Similar pages

[PDF] La Gazette du Bureau des brevets The Patent Office Record

File Format: PDF/Adobe Acrobat

strategis.ic.gc.ca/brevets/gazette.. D'après nos statistiques de ... LOADING APPLICATIONS ONTO A. SMART CARD. [54] SYSTEME ET PROCEDE POUR ...

www.ic.gc.ca/.../75420ace4862b82985256791006250e6/

D88BC8D78B5E610785256AAF0054043D/\$file/cpor.pdf - Similar pages

Usenet Archive

ISO/IEC 24727 Part 4: **Card** management and **personalization** ISO/IEC 24727 ... A more complex version of the ThinkPlus method of **loading applications** > JIT. ... www4.all-usenet-archive.com/File.asp?service=24156 - 131k - Cached - Similar pages

■ Gooogle

Result Page: Previous 1 2 3

"loading applications" ic card persor Searc

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google